



FPD Lithography Systems

FX-66S2/66S

Gen 6 Plate FPD Lithography Systems
Delivering a Resolution of 3 μm with High Productivity



Gen 6 Plate FPD Lithography Systems Delivering a Resolution of 3 μm with High Productivity

FPD Lithography Systems FX-66S2/66S

The FX-66S2/66S supports the production of small- and medium-sized panels from Gen 6 plates. With the high productivity and stable exposure performance, the FX-66S2/66S enables the high volume production of small- and medium-sized panels with a resolution of 3 μm or less (L/S).

Key Features

- **Multi-lens System**

Both models feature the multi-lens system consisting of multiple projection lenses. This design enables a wide exposure field and excellent resolution.

- **High Throughput**

- **High Resolution**

The multi-lens system paired with our proprietary focus control system ensures an excellent resolution of 3 μm (L/S) across the entire plate.

- **High Alignment Accuracy**

An alignment accuracy of $\pm 0.6 \mu\text{m}$ or less is achieved using simultaneous multi-point alignment with the ultraprecise stage.

- **Improved Exposure Performance**

The FX-66S2/66S employs a variety of calibration functions developed utilizing our unique technology and provides enhanced exposure performance stability.

Performance

	FX-66S2	FX-66S
Resolution (L/S)	3.0 μm (g+h+i-line)	
Projection magnification	1:1	
Alignment accuracy	$\leq \pm 0.6 \mu\text{m}$	
Maximum plate size	1,500 mm \times 1,850 mm	
Takt time	53 sec./plate Conditions: 1,500 mm \times 1,850 mm, 4 scans, g+h+i-line, 30 mJ/cm ²	55 sec./plate Conditions: 1,500 mm \times 1,850 mm, 4 scans, g+h+i-line, 30 mJ/cm ²



WARNING

TO ENSURE CORRECT USAGE, READ THE CORRESPONDING MANUALS CAREFULLY BEFORE USING YOUR EQUIPMENT.

All of the products in this brochure are under export restriction. The export of these products is controlled by Japanese Foreign Exchange and Foreign Trade and International export control regime. They shall not be exported without authorization from the appropriate government authorities.

Performance and equipment are subject to change without any notice or obligation on the part of the manufacturer. Products and brand names are trademarks or registered trademarks of their respective companies. March 2016
©2016 NIKON CORPORATION

<http://www.nikon.co.jp/pec>

NIKON CORPORATION FPD Lithography Business Unit Sales Department

Shinagawa Intercity Tower C, 2-15-3, Konan, Minato-ku, Tokyo 108-6290, Japan
Tel: +81-3-6433-3641 Fax: +81-3-6433-3758

NIKON PRECISION INC.

1399 Shoreway Road, Belmont, CA 94002-4107, U.S.A.
Tel: +1-(650)-508-4674 Fax: +1-(650)-508-4600

NIKON PRECISION EUROPE GmbH

Robert-Bosch-Strasse 11, D-63225 Langen, Germany
Tel: +49-6103-973-0 Fax: +49-6103-973-333

NIKON PRECISION KOREA LTD.

17-24 Singal-Dong, Giheung-Gu, Yongin-Si, Gyeonggi-Do, Korea
Tel: +82-31-288-5601 Fax: +82-31-288-5609

NIKON PRECISION TAIWAN LTD.

3F-1, 2, 3, 5 No. 28, Tai Yuen Street, Chu Pei City, Hsin Chu Hsien, Taiwan
Tel: +886-3-552-5888 Fax: +886-3-552-5858

NIKON SINGAPORE PTE LTD.

Precision Division
23 Church Street, Unit #13-07, Capital Square, Singapore, 049481
Tel: +65-6367-4020 Fax: +65-6367-4021

NIKON PRECISION SHANGHAI CO., LTD.

RM. 601 Xin Jin Qiao Tower, No. 28 Xin Jin Qiao Road, Pudong New District, Shanghai 201206, China
Tel: +86-21-5899-0266 Fax: +86-21-5899-1660